



MAXTOP



MEGA-II

The New Generation of MEGA chain
MEGA high strength stainless steel chain




MEGA-II


CHANGING FOR THE BETTER




TENSILE STRENGTH



ALLOWABLE LOAD



CHAIN ELONGATION



Special Features

- Retains the unique construction of the MEGA-I design with large bearing areas to improve strength and chain life.
- MEGA-II chain has a revolutionary outer plate design which minimises contamination by dirt and corrosion.


Product Benefits

- Helps eliminate chain failure caused by high loading.
- Increases chain life over standard chains by 50%.



MEGA-II

CHANGING FOR THE BETTER



MEGA II NO.	Pitch		Width W (min)	Roller Dia R	Links			Pin			Transverse Pitch C	Max Allowable Load kgf
	P				Height H	Thickness		Dia D	Lengths			
	inch	mm	T1	T2		F	G					
MEGA II40SS	1/2"	12.70	7.85	7.92	12.00	1.50	1.50	3.96	9.65	11.55	---	80
MEGA II40-2SS	1/2"	12.70	7.85	7.92	12.00	1.50	1.50	3.96	16.85	18.75	14.40	120
MEGA II50SS	5/8"	15.875	9.40	10.16	15.00	2.00	2.00	5.06	12.15	14.25	---	130
MEGA II50-2SS	5/8"	15.875	9.40	10.16	15.00	2.00	2.00	5.06	21.20	23.30	18.10	210
MEGA II60SS	3/4"	19.05	12.57	11.91	18.10	2.35	2.35	5.94	15.15	17.45	---	180
MEGA II60-2SS	3/4"	19.05	12.57	11.91	18.10	2.35	2.35	5.94	26.55	28.85	22.80	310
MEGA II80SS	1"	25.40	15.75	15.88	24.00	3.00	3.00	7.94	19.30	21.95	---	320
MEGA II80-2SS	1"	25.40	15.75	15.88	24.00	3.00	3.00	7.94	33.95	36.60	29.30	540
MEGA II2060SS	1-1/2"	38.10	12.57	11.91	17.20	2.35	2.35	5.94	15.15	17.45	---	180
MEGA II2060-2SS	1-1/2"	38.10	12.57	11.91	17.20	2.35	2.35	5.94	26.55	28.85	22.80	310
MEGA II08BSS	1/2"	12.70	7.75	8.51	11.81	1.50	1.50	4.44	9.70	11.55	---	90
MEGA II08B-2SS	1/2"	12.70	7.75	8.51	11.81	1.50	1.50	4.44	16.65	18.50	13.92	140
MEGA II10BSS	5/8"	15.875	9.40	10.16	15.00	2.00	2.00	5.06	12.15	14.25	---	130
MEGA II12BSS	3/4"	19.05	11.68	12.07	16.00	1.80	1.80	5.67	13.00	15.30	---	155
MEGA II12B-2SS	3/4"	19.05	11.68	12.07	16.00	1.80	1.80	5.67	22.75	25.00	19.46	260
MEGA II16BSS	1"	25.40	17.02	15.88	24.00	3.15	3.00	8.28	19.95	22.35	---	330
MEGA II16B-2SS	1"	25.40	17.02	15.88	24.00	3.15	3.00	8.28	35.89	38.29	31.88	560

Material : AISI304

MEGAI 10BSS chain has same specification as MEGAI 50SS chain.



MEGA-II

CHANGING FOR THE BETTER

AVAILABLE COMPONENT

MEGA-II	SC CL	CP C/L	O/L	A1	SA1	WA2	WSA1	WSA2	D1	D3
ANSI SERIES										
40SS	X	O	X	X	Pin Link	X	Pin Link	Pin Link	O	O
50SS	X	O	X	X	Pin Link	X	Pin Link	Pin Link	O	O
60SS	X	O	X	X	Pin Link	X	Pin Link	Pin Link	O	O
80SS	X	O	X	X	Pin Link	X	Pin Link	Pin Link	O	O
2060SS	X	O	X	X	Heavy Duty Pin Link	X	Heavy Duty Pin Link	Heavy Duty Pin Link	O	O
ISO SERIES										
08BSS	X	O	X	X	Pin Link	X	CALL	CALL	O	O
10BSS	X	O	X	X	Pin Link	X	Pin Link	Pin Link	O	O
12BSS	X	O	X	X	Pin Link	X	Pin Link	Pin Link	O	O
16BSS	X	O	X	X	Pin Link	X	Pin Link	Pin Link	O	O

